

No.



TO ALL TO WHOM THESE; PRESENTS SHAM COME;

South Inkota Agricultural Experiment Station

THE COME, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT (S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT (S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR PORTUNG IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE VERTIFICATION OR STOCKING IT FOR ANY OF THE ABOVE SE, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT DESYTHE PLANT VARIETY PROTECTION ACT. IN THE UNITED STATES SEED OF THIS VARIETY (I).

SOLD BY VARIETY NAME ONLY AS A CLASS OF CERTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF THE RIGHTS. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEO.)

WHEAT, COMMON

'Granger'

In Testimonn Mercent, I have hereunto set my hand and caused the seal of the Hunt Huriety Frotection Office to be affixed at the City of Washington, D.C. this twenty-first day of March, in the year two thousand and five.

Attest:

Commissioner Plant Varioty Protection Office Agricultural Marketing Service

-30-2004

Spring Wheat

Breeder

(See reverse for instructions and information collection burden statement)

CAPACITY OR TITLE

Director, SDAES

GENERAL: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E; (3) for a seed reproduced variety at least 2,500 viable untreated seeds, for a hybrid variety at least 2,500 untreated seeds of each line necessary to reproduce the variety, or for tuber reproduced varieties verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; (4) check drawn on a U.S. bank for \$3,652 (\$432 filling fee and \$3,220 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice.) Partial applications will be held in the PVPO for not more than 90 days, then returned to the applicant as unfilled. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 401, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a check payable to "Treasurer of the United States" in the amount of \$432 for issuance of the certificate. Certificates will be issued to owner, not licensee or agent.

Plant Variety Protection Office Telephone: (301) 504-5518 FAX: (301) 504-5291

Homepage: http://www.ams.usda.gov/science/pvpo/pvpindex.htm

To avoid conflict with other variety names in use, the applicant must check the appropriate recognized authority and provide evidence that name has been cleared by the appropriate recognized authority before the Certificate of Protection is issued. For example, for agricultural and vegetable crops, contact: Seed Branch, AMS, USDA, 10301 Baltimore Avenue, Suite 401 NAL Building, Beltsville, MD 20705. Telephone: (301) 504-5682 http://www.ams.usda.gov/lsg/seed.htm.

ITEM

- 19a. Give:
- (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;
- (2) the details of subsequent stages of selection and multiplication;
- (3) evidence of uniformity and stability; and
- (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 19b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
 - (1) identify these varieties and state all differences objectively;
 - (2) attach statistical data for characters expressed numerically and demonstrate that these are clear differences; and
 - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 19c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 19d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- 19e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
- 20. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
- 23. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 24. See Section 55 of the Act for instructions on claiming the benefit of an earlier filing date.
- 22. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)
- 23. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)
- 24. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. The fees for filing a change of address; owner's representative; ownership or assignment; or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.)

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 1.4 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

EXHIBIT A Granger (SD3546) Origin and Breeding History of the Variety

'Granger' is an F₄ derived line from the two-parent cross 'SD8070/SD3165' made at Brookings, South Dakota in the fall of 1993. SD8070 was developed from the cross 'Guard'/'Sharp' and SD3165 originated from the cross 'Butte 86'/3/Mexico Dwarf/Baca//Vona/4/PR2375.

. The F₁ plants were grown at Yuma, Arizona during the winter of 1994-1995. Individual F₂ plant selections were made at Brookings, South Dakota in 1995 and were grown at Yuma the following winter (1995-96) as plant rows. Plant rows at Yuma were harvested individually and used to sow F_{2:4} yield trials at Aurora and South Shore, SD in 1996. Based on data collected from the 1996 yield trials, individual plant selections from within the population were advanced once again to the Yuma nursery and sown as F4:5 lines during the winter of 1996-97. The population was selected for advancement based on grain yield, grain volume weight, and bread-making characteristics. Individual plants were visually selected for resistance to prevalent foliar pathogens (i.e., leaf and stem rust). Two single plant rows from this population were selected at Yuma and brought back to SD for further testing as F_{4:6} lines during the 1997 growing season. Based on the yield performance grain volume weight, bread-making characteristics, and disease resistance, one of the lines from within this population was promoted to its first year of replicated statewide yield trials in 1998 with an experimental designation of SD3546. Seed was purified and increased by the South Dakota Spring Wheat Breeding Program from 2000 through 2002. Breeders' seed was produced in 2002 and Foundation seed was produced in 2003.

Granger was tested within the South Dakota State University Spring Wheat Breeding Program Advanced Yield Trials from 2000 through 2003. It has also been tested in 2001 and 2002 by our state Crop Performance Trial (CPT) group. Additionally, it was included in the Uniform Regional Spring Wheat Nursery from 2001 to 2003. Granger was tested by the Wheat Quality Council (WQC) in 2003.

Granger has been observed for five generations of reproduction and during the seed increase period. It was noted as stable and uniform. No variants were observed.

EXHIBIT B Granger (SD3546) Statement of Distinctness

Our records indicate that Granger is most similar to 'Briggs', "Walworth'. 'Russ', and 'Oxen'. Analysis of several agronomic characters, as well as Polyacrylamide Gel Electrophoresis, (PAGE) reveal that Granger is unique in comparison to these four varieties.

Grain Yield: Based on analysis of yield data collected from 2000 to 2003 over 30 South Dakota locations, Granger produced significantly higher grain yield than Oxen and Walworth (Table 1). During the four-year period, however, its grain yield was not significantly higher than that of Briggs and Russ (Table 1).

Test Weight: Based on analysis of data collected from 2000 to 2003 over 30 South Dakota locations, Granger produced grain with a significantly higher test weight than the four varieties it was compared with (Table 2).

Plant Height: Based on analysis of plant height data collected from 2000 to 2003 over 30 South Dakota locations, Granger was found to be significantly taller than all varieties it was compared against except Russ (Table 3).

Heading Date: Based on analysis of data for heading date that was collected from 2000 to 2003 over 30 South Dakota locations, Granger was found to be significantly later than Briggs, similar to Walworth, and significantly earlier than both Russ and Oxen (Table 4).

PAGE: Revealed that Granger is unique to all four varieties in which it is being compared by at least three protein bands (Figure 1). The original photograph of this PAGE gel is on file at the South Dakota State University Seed Testing Laboratory; Plant Science Department; Ag Hall 240; P.O. Box 2207-A; Brookings, SD 57007-1096; Phone: (605) 688-4589; FAX: (605) 688-4013

Table 1. Yield (bu/ac) comparisons among five hard red spring wheat varieties tested from 2000 to 2003 in South Dakota State University Advanced Yield Trials.

Year	2000	2001	2002	2003	'00-'03	
Locations	9	8	6	7	30	
Entry						
Granger	46.32	49.34	37.78	60.16	48.55	
Briggs	49.79	49.06	36.86	59.47	49.00	
Walworth	44.78	44.80	33.67	59.56	45.87	
Russ	45.47	48.59	35.72	59.62	47.55	
<u>Oxen</u>	46.26	49.30	35.31	55.58	46.94	
CV LSD	9.44 2.18	9.43 2.39	8.00 1.69	8.66 2.96	12.15 1.58	

Table 2. Test weight (lb/bu) comparisons among five hard red spring wheat varieties tested from 2000 to 2003 in South Dakota State University Advanced Yield Trials.

Year Locations	2000 9	2001 8	2002 6	2003 7	'00-'03	
Entry						
Granger	59.17	58.55	56.87	59.27	58.45	
Briggs	58.97	54.12	55.31	57.48	56.21	
Walworth	58.46	56.51	55.34	57.25	56.82	
Russ	57.46	54.41	55.35	57.54	56.03	
<u>Oxen</u>	57.63	56.04	55.48	56.84	56.43	
CV	10.59	5.10	3.02	2.00	5.96	
LSD	4.17	1.55	1.05	0.71	1.04	


Table 3. Plant height (cm) comparisons among five hard red spring wheat varieties tested from 2000 to 2003 in South Dakota State University Advanced Yield Trials.

Year	2000	2001	2002	2003	'00-'03	
Locations	9	8	6	7	30	
Entry						
Granger	84.67	80.65	70.94	76.58	78.25	
Briggs	78.38	77.30	70.47	75.42	75.64	
Walworth	80.00	76.90	70.18	76.50	76.12	
Russ	83.23	78.35	71.74	77.58	78.01	
<u>Oxen</u>	77.52	73.55	65.71	69.08	72.07	
CV	4 4 4	E 44	4.40	4.45	E 00	
	4.41	5.44	4.43	4.15	5.33	
LSD	2.23	2.69	2.15	2.56	1.39	

Table 4. Heading date (day of year) comparisons among five hard red spring wheat varieties tested from 2000 to 2003 in South Dakota State University Advanced Yield Trials.

Year	2000	2001	2002	2003	'00-'03	
Location :	s 9	8	6	7	30	
Entry						
Granger	167.29	176.71	172.52	170.67	171.65	
Briggs	166.19	176.58	172.00	171.11	171.18	
Walworth	166.72	176.47	172.71	170.88	171.50	
Russ	168.33	178.05	174.00	172.55	173.01	
<u>Oxen</u>	167.71	177.52	172.94	172.22	172.34	
CV	3.14	0.54	0.52	0.36	0.64	
LSD	3.21	0.65	0.62	0.61	0.39	

Figure 1. Polyacrylamide Gel Electrophoresis (PAGE) gel of hard red spring wheat cultivars Granger, Briggs, Walworth, Russ, and Oxen presented in the same order.



instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, sexual orientation, or market or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE AND TECHNOLOGY PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MD 20705

EXHIBIT C (Wheat)

OBJECTIVE DESCRIPTION OF VARIETY WHEAT (Triticum spp.)

NAME OF APPLICAN	T(S) South Dakota Agricultur Vo. or RD No., City, State, and Zip Code)	1		FOR OFFICIAL USE ONLY
	South Dakota Agricultur	al Experi	iment Statio	n PVPO NEMBERA E A A A E
ADDRESS (Street and I	lo. or RD No., City, State, and Zip Code)			~~200 500005
	akota State University			VARIETY NAME
Ag Hall Brookin				Granger
Drockin,	gs 57007			
				TEMPORARY OR EXPERIMENTAL DESIGNATION SD 3546
PLEASE READ A	LL INSTRUCTIONS CAREFULLY: Place the app	TODESTA DUMBO Abo		
T INCO M ZOLO IX CINC I	instead (c.g. 10 f 9 f 9 f 0 f 10 f 9 f) When humber is	CHIEF YY AF IEGG AF G	U or lecc rechectively. D	ato for acceptation along the second of the second
minimizer too br	and, Comparative data should be determined from vi	arieties entered in th	ne same trial. Royal Hor	ticultural Society or any recognized color standard may
be used to determin	- Panti edicio, designate system used:			· · · · · · · · · · · · · · · · · · ·
		rease answer an que	stions for your variety; i	ack of response may delay progress of your application.
1. KIND:	·	2. VE	RNALIZATION:	
1=Con	nman	<u> </u>		
2=Dur			1=Spring 2=Winter	
3=Clul			3=Other (SPECI	DEVA.
4=Oth	er (SPECIFY):	_	5 Office (BLECE	Ex):
3 COLEODT	ILE ANTHOCYANIN:	4		
J. COLEOFI.	ILE ANTHOCYANIN:	4. JUV	ENILE PLANT G	GROWTH:
1 = A	Absent 2 = Present	<u> </u>	1 = Proctrata	2 = Semi-erect 3 = Erect
		3	i — i i osti ate	2 - Seini-erect 3 = Erect
5 PLANT CO	DLOR (boot stage):			
5. TLANT CO	DOK (boot stage):	6. FLA	AG LEAF (boot sta	age):
2 1 = Yel	llow-Green		1 = Erect	
2 = Gr	een	1	2 = Recurved	
3 = Blu	ie-Green			
		2	1 = Not Twisted	
		. L	2 = Twisted	
		[4 XX7 A.T	·
		1	1 = Wax Absent 2 = Wax Present	
7 7 1 1 1 1 1 1 1 1 1 1			2 - Wax I Tesent	
7. EAR EMER	RGENCE:			
	Number of Days (Average)			•
	(Average)	-		
0 3	Number of Days Earlier Than	Chris		*
<u></u>		Bricco		
	Same as	Briggs		*
	Number of David Later III	Forge		
	Number of Days Later Than		Polotivo to c DVDO 4	*
		- 1	ксынче ю а гугО-Ар	proved Commercial Variety Grown in the Same Trial

3 = Awnletted

4 = Awned

3 = Clavate

4 = Other (SPECIFY):

3 = Large

PLEASE INDICATE THE SPECIFIC RACE OR STRAIN TESTED 2 Stem Rust (Paccinia graminis f. sp. tritici) 2 Leaf Rust (Paccinia recondita f. sp. tritici) 3 Tan Spot (Pyrenophora tritici-repentic) 4 Flag Smut (Usaliago tritici) 5 Flag Smut (Usaliago tritici) 6 Common Bunt (Tilletia tritici or T. laevis) 6 Septoria nodorum (Glume Blotch) 7 Septoria nodorum (Glume Blotch) 8 Septoria nodorum (Glume Blotch) 9 Septoria avenae (Speckled Leaf Disease) 9 Karnal Bunt (Tilletia tritici or T. laevis) 10 Septoria avenae (Speckled Leaf Blotch) 11 Septoria tritici (Speckled Leaf Blotch) 12 Common Root Rot (Fusarium, Cochilobolus and Bipolaris spp.) 13 Seab (Fusarium spp.) 14 Seab (Fusarium Spp.) 15 Soilborne Mosaic Virus (SEMV) 16 Other (SPECIFY) 17 Other (SPECIFY) 18 Other (SPECIFY) 19 Other (SPECIFY) 19 Other (SPECIFY) 10 Other (SPECIFY) 10 Hessian Fly (Mayetola destructor) 10 Cereal Leaf Beetle (Oulema melanopa) 11 Other (SPECIFY) 12 Other (SPECIFY) 13 Other (SPECIFY) 14 Other (SPECIFY) 15 Stem Sawfly (Cephus spp.) 16 Other (SPECIFY) 17 Other (SPECIFY) 18 Other (SPECIFY) 19 Other (SPECIFY) 10 Other (SPECIFY) 10 Other (SPECIFY) 10 Other (SPECIFY) 11 Other (SPECIFY) 12 Other (SPECIFY) 13 Other (SPECIFY) 14 Other (SPECIFY) 15 Stem Sawfly (Cephus spp.) 15 Other (SPECIFY) 16 Other (SPECIFY) 17 Other (SPECIFY) 18 Other (SPECIFY) 19 Other (SPECIFY) 10 Other (SPECIFY) 10 Other (SPECIFY) 11 Other (SPECIFY) 12 Other (SPECIFY) 13 Other (SPECIFY) 14 Other (SPECIFY) 15 Other (SPECIFY) 15 Other (SPECIFY) 16 Other (SPECIFY) 17 Other (SPECIFY) 18 Other (SPECIFY) 19 Other (SPECIFY) 19 Other (SPECIFY) 10 Other (SPECIFY) 10 Other (SPECIFY) 11 Other (SPECIFY) 12 Other (SPECIFY) 13 Other (SPECIFY) 14 Other (SPECIFY) 15 Other (SPECIFY) 15 Other (SPECIFY) 16 Other (SPECIFY) 17 Other (SPECIFY) 18 Other (SPECIFY) 19 Other (SPECIFY)			· · · · · · · · · · · · · · · · · · ·	EUU DUU U D Exhibit C (Wheat
2 Stem Rust (Puccinia graminis f. sp. tritici) 3 Tan Spot (Pyrenophora tritici-repentis) 4 Common Bunt (Undesta agropyri) 5 Common Bunt (Tilletia tritici or T. laevity) 6 Septoria avenae (Speckled Leaf Disease) 7 Septoria avenae (Speckled Leaf Disease) 8 Septoria tritici (Speckled Leaf Blotch) 9 Warf Bunt (Tilletia tritici or T. laevity) 9 Scab (Fusarium spp.) 10 "Black Point" (Keruel Smudge) 11 Barley Yellow Dwarf Virus (BYDV) 12 Black Chaff (Xanthomonas campestris pv. translucens) 13 Soliborne Mosaic Virus (SEMV) 14 Wheat Yellow (Spindle Streak) Mosaic Virus 15 Other (SPECIFY) 16 Other (SPECIFY) 17 Other (SPECIFY) 18 Other (SPECIFY) 19 Other (SPECIFY) 10 Other (SPECIFY) 11 Hessian Fly (Mayetiola destructor) 11 Other (SPECIFY) 12 Leaf Rust (Puccinia recondita L. sp. tritici) 15 INSECT: (0-Not Tested; 1-Susceptible; 2-Resistant; 3-Intermediate; 4-Tolerant) 17 PLEASE SPECIFY BIOTYFE (where needed) 17 Other (SPECIFY) 17 Other (SPECIFY) 18 Other (SPECIFY) 19 Other (SPECIFY) 10 Creval Leaf Beetle (Oulema melanopa) 17 Other (SPECIFY) 17 Other (SPECIFY) 17 Other (SPECIFY) 18 Russian Aphid (Diuraphis noxia)	14.	Disease: (0=Not Tested; 1=Susceptible;	2=Resistant;	3=Intermediate; 4=Tolerant)
Losse Smut (Ustilago tilici)		PLEASE INDICATE 1	THE SPECIFIC	RACE OR STRAIN TESTED
Tan Spot (Pyrenophora triticl-repentis) Tan Spot (Pyrenophora triticl-repentis)	2	Stem Rust (Puccinia graminis f. sp. tritici)	2	Leaf Rust (Puccinia recondita f. sp. tritici)
Halo Spot (Sclenophoma donacis)	0	Stripe Rust (Puccinia striiformis)	0	Loose Smut (Ustilago tritici)
O Septoria nodorum (Glume Blotch) O Dwarf Bunt (Tilletia controversa) O Septoria avenae (Speckled Leaf Disease) O Karnal Bunt (Tilletia indica) Septoria tritici (Speckled Leaf Blotch) O Powdery Mildew (Eryslphe graminis I. sp. tritici) Seab (Fusarium spp.) O "Snow Molds" O "Black Point" (Kernel Smudge) O Barley Yellow Dwarf Virus (BYDV) O Black Chaff (Xanthomonas campestris pv. translucens) O Wheat Yellow (Spindle Streak) Mosaic Virus O Wheat Streak Mosaic Virus (WSMV) O Other (SPECIFY)	3	Tan Spot (Pyrenophora tritici-repentis)		Flag Smut (Urocystis agropyri)
Septoria avenae (Speckled Leaf Disease)	0	Halo Spot (Selenophoma donacis)	0	Common Bunt (Tilletia tritici or T. laevis)
Septoria tritici (Speckled Leaf Blotch)	0	Septoria nodorum (Glume Blotch)	0	Dwarf Bunt (Tilletia controversa)
Scab (Fusarium spp.) O "Snow Molds" Common Root Rot (Fusarium, Cochilobolus and Bipolaris spp.) Barley Yellow Dwarf Virus (BYDV) O Rhizoctonia Root Rot (Rhizoctonia solani) O Soilborne Mosaic Virus (SBMV) O Black Chaff (Xanthomonas campestris pv. translucens) Wheat Yellow (Spindle Streak) Mosaic Virus O Wheat Streak Mosaic Virus (WSMV) Other (SPECIFY)	0	Septoria avenae (Speckled Leaf Disease)	0	Karnal Bunt (Tilletia indica)
Common Root Rot (Fusarium, Cochilobolus and Bipolaris spp.)	3	Septoria tritici (Speckled Leaf Blotch)	0	Powdery Mildew (Erysiphe graminis f. sp. tritici)
Bipolaris spp.) Barley Yellow Dwarf Virus (BYDV) Barley Yellow Dwarf Virus (BYDV) Barley Yellow Dwarf Virus (BYDV) Barley Yellow Common Root Rot (Rhizoctonia Root Rot (Rhizoctonia Solani) Black Chaff (Xanthomonas campestris pv. translucens) Bacterial Leaf Blight (Pseudomonas syringae pv. syringae) Other (SPECIFY)	3	Scab (Fusarium spp.)	0	"Snow Molds"
Barley Yellow Dwarf Virus (BYDV) O Rhizoctonia Root Rot (Rhizoctonia solani) O Soliborne Mosaic Virus (SBMV) O Black Chaff (Xanthomonas campestris pv. translucens) O Wheat Yellow (Spindle Streak) Mosaic Virus O Bacterial Leaf Blight (Pseudomonas syringae pv. syringae) O Wheat Streak Mosaic Virus (WSMV) Other (SPECIFY)	0	"Black Point" (Kernel Smudge)	2	Common Root Rot (Fusarium, Cochliobolus and Bipolaris spp.)
Wheat Yellow (Spindle Streak) Mosaic Virus Wheat Streak Mosaic Virus (WSMV) Other (SPECIFY)	0	Barley Yellow Dwarf Virus (BYDV)	0	
Other (SPECIFY) Other (SPECIFY) Other (SPECIFY) 15. INSECT: (0=Not Tested; 1=Susceptible; 2=Resistant; 3=Intermediate; 4=Tolerant) PLEASE SPECIFY BIOTYPE (where needed) Other (SPECIFY) Other (SPECIFY) Other (SPECIFY) Other (SPECIFY) Other (SPECIFY) Other (SPECIFY) Other (SPECIFY) Other (SPECIFY) Other (SPECIFY) Other (SPECIFY)	0	Soilborne Mosaic Virus (SBMV)	0	Black Chaff (Xanthomonas campestris pv. translucens)
Other (SPECIFY) Other (SPECIFY) Other (SPECIFY) 15. INSECT: (0=Not Tested; 1=Susceptible; 2=Resistant; 3=Intermediate; 4=Tolerant) PLEASE SPECIFY BIOTYPE (where needed) Other (SPECIFY)	0	Wheat Yellow (Spindle Streak) Mosaic Virus		
Other (SPECIFY) Other (SPECIFY) Other (SPECIFY) 15. INSECT: (0=Not Tested; 1=Susceptible; 2=Resistant; 3=Intermediate; 4=Tolerant) PLEASE SPECIFY BIOTYPE (where needed) Hessian Fly (Mayetiola destructor) Other (SPECIFY) Stem Sawfly (Cephus spp.) Other (SPECIFY) Other (SPECIFY) Russian Aphid (Diuraphis noxia) Other (SPECIFY) Other (SPECIFY)	0	Wheat Streak Mosaic Virus (WSMV)		
Other (SPECIFY) Other (SPECIFY) 15. INSECT: (0=Not Tested; 1=Susceptible; 2=Resistant; 3=Intermediate; 4=Tolerant) PLEASE SPECIFY BIOTYPE (where needed) Other (SPECIFY)		Other (SPECIFY)		Other (SPECIFY)
15. INSECT: (0=Not Tested; 1=Susceptible; 2=Resistant; 3=Intermediate; 4=Tolerant) PLEASE SPECIFY BIOTYPE (where needed) Other (SPECIFY) Other (SPECIFY) Cereal Leaf Beetle (Oulema melanopa) Russian Aphid (Diuraphis noxia) Other (SPECIFY) Other (SPECIFY) Other (SPECIFY)		Other (SPECIFY)		Other (SPECIFY)
PLEASE SPECIFY BIOTYPE (where needed) Other (SPECIFY) Other (SPECIFY) Other (SPECIFY) Other (SPECIFY) Russian Aphid (Diuraphis noxia) Other (SPECIFY) Other (SPECIFY)		Other (SPECIFY)		Other (SPECIFY)
Hessian Fly (Mayetiola destructor) Other (SPECIFY) Other (SPECIFY) Other (SPECIFY) Other (SPECIFY) Russian Aphid (Diuraphis noxia) Other (SPECIFY) Other (SPECIFY)	15. IN	NSECT: (0=Not Tested; 1=Susceptible;	2=Resistant;	3=Intermediate; 4=Tolerant)
O Stem Sawfly (Cephus spp.) Other (SPECIFY) Other (SPECIFY) Russian Aphid (Diuraphis noxia) Other (SPECIFY) Other (SPECIFY)		PLEASE SPE	CIFY BIOTYPI	E (where needed)
O Cereal Leaf Beetle (Oulema melanopa) Other (SPECIFY) Other (SPECIFY) Other (SPECIFY)	0	Hessian Fly (Mayetiola destructor)		Other (SPECIFY)
Russian Aphid (Diuraphis noxia) Other (SPECIFY) T-470-6 (03-02) designed by the Plant Variety Protection Office with WordProfess 0.0. Published to the plant Variety Protection Office with WordProfess 0.0. Published to the plant Variety Protection Office with WordProfess 0.0. Published to the plant Variety Protection Office with WordProfess 0.0. Published to the plant Variety Protection Office with WordProfess 0.0. Published to the plant Variety Protection Office with WordProfess 0.0. Published to the plant Variety Protection Office with WordProfess 0.0. Published to the plant Variety Protection Office with WordProfess 0.0. Published to the plant Variety Protection Office with WordProfess 0.0. Published to the plant Variety Protection Office with WordProfess 0.0. Published to the plant Variety Protection Office with WordProfess 0.0. Published to the plant Variety Protection Office with WordProfess 0.0. Published to the plant Variety Protection Office with WordProfess 0.0. Published to the plant Variety Protection Office with WordProfess 0.0. Published to the plant Variety Protection Office with WordProfess 0.0. Published to the plant Variety Protection Office with WordProfess 0.0. Published to the plant Variety Protection Office with WordProfess 0.0. Published to the plant Variety Protection Office with WordProfess 0.0. Published to the plant Variety Protection Office with WordProfess 0.0. Published to the plant Variety Protection Office with WordProfess 0.0. Published to the plant Variety 0.0. Published to the plan	0	Stem Sawfly (Cephus spp.)		Other (SPECIFY)
T-470-6 (03-02) designed by the Plant Variety Protection Office with Word Protection Office	0	Cereal Leaf Beetle (Oulema melanopa)		Other (SPECIFY)
T-470-6 (03-02) designed by the Plant Variety Protection Office with WordPerfect 9.0. Replaces S&T-470-6 (02-99) which is obsolete. Page 4 of 6	0	Russian Aphid (Diuraphis noxia)		Other (SPECIFY)
	&T-470-6	(03-02) designed by the Plant Variety Protection Office with Word	Perfect 9.0. Replaces	s S&T-470-6 (02-99) which is obsolete. Page 4 of 6

15.	INSECT: Continued	(0=Not Tested;	1=Susceptible;	2=Resista	nt; 3=Intermediate; 4=Tolerant)	Exhibit C (Wheat)
	·	i.	PLEASE SPECIFY	BIOTYPE	(where needed)	
0	Greenbug (Schize	iphis graminum)			Other (SPECIFY)	
0	Aphids				Other (SPECIFY)	
16.	ADDITIONAL INFO	RMATION ON A	NY ITEM ABOVE	, OR GENE	RAL COMMENTS	

EXHIBIT D Granger (SD3546) Additional Descriptive Information

Release of 'Granger Hard Red Spring Wheat

'Granger' (SD8070/SD3165) is an early, tall semi-dwarf hard red spring wheat variety derived from an F_4 plant within a population created in the fall of 1993. It was tested as SD3546 within the South Dakota State University Advanced Yield Trials (AYT) from 2000-2003. In 2001-2003, Granger was also tested in both the Uniform Regional Spring Wheat Nursery (URSWN) and South Dakota Crop Performance Testing trials. Milling and baking properties associated with Granger were evaluated through inclusion in the 2003 Wheat Quality Council trials. Coverage under the United States Plant Variety Protection Act will be sought for Granger.

Major strengths of 'Granger' include:

Consistently high yield potential
Very large seed size
Intermediate to superior Fusarium Head Blight resistance
High stem rust resistance
Moderate leaf rust resistance
Exceptional milling and baking quality

During four years of inclusion in South Dakota AYTs, the average yield of Granger exceeded that of 'Russ' and 'Oxen' by 2.3 bushels per acre, and of 'Briggs' by 0.9 bushels per acre. It appears to be very well adapted not only to South Dakota, but also the three state (SD, ND, MN) spring wheat production region. Out of 37 entries tested within the 2001 and 2002 URSWN trials, Granger produced the fourth and sixth highest yield, respectively over all test locations. On average, Granger is 0.5 inches shorter than Russ and 0.5 inches taller than Briggs. Heading dates of Granger, Briggs, and Walworth are similar and generally vary by less than one-half day. At approximately 10,000 seeds per pound, Granger is a very large seeded variety.

Field evaluations conducted at St. Paul MN in 2001 showed that Granger ranked fourth most resistant out of 39 entries tested for *Fusarium* Head Blight (FHB) resistance. Similar tests conducted at Brookings from 2000-2003 revealed that its FHB resistance to is moderately high and similar to that of 'Ingot'. Greenhouse tests have indicated that Granger is resistant to a composite of stem rust races prevalent within the region. Additionally, field plot observations have shown that Granger was moderately resistant to leaf rust races present at Selby SD, Fargo, Carrington, and Langdon ND in 2001 as well as those present at St. Paul, MN in 2003.

Throughout its four-year AYT evaluation period, tests carried out at the USDA Spring Wheat Quality Laboratory in Fargo, ND, revealed that milling and baking quality parameters associated with Granger were high. Wheat Quality Council evaluations performed in 2003 also revealed that its milling and baking characteristics are above average to excellent.

EXHIBIT D Granger (SD3546) Additional Descriptive Information

Table 5. Kernel quality characteristics of Granger (SD3546) Hard Red Spring Wheat compared with other entries included in the 2003 Uniform Regional Hard Red Spring Wheat Nursery grown at 12 locations within Minnesota, North Dakota, and South Dakota.

Table 6. Flour quality characteristics of Granger (SD3546) Hard Red Spring Wheat compared with other entries included in the 2003 Uniform Regional Hard Red Spring Wheat Nursery grown at 12 locations within Minnesota, North Dakota, and South Dakota.

Additional Information. Evidence of approval to use the name 'Granger' for SD3546.

Table 5. Kernel quality characteristics of Granger (SD3546) Hard Red Spring Wheat compared with other entries included in the 2003 Uniform Regional Hard Red Spring Wheat Nursery grown at 12 locations within Minnesota, North Dakota, and South Dakota.

je	Jess	œ	80	49	32	76	10	74	10	10	23	31	55	20	62	55	55	38	2	11	20	26	12	29	-	13	33	96	20	86	23	38	57	თ	ന
Kerne	Hardness	Ξ	50.80	71.49	67	62	62.	65.	73.	60,10	76.	67.8	73.(64.	.09	65.0	67.0	69.	64.	73.	72.	71.	59.	71.5	80.4	66.1	69.8	72.9	70.7	66.9	60.23	71.38	67.67	8.19	0.43
Wheat	Ash	14%mb	1.64	1.62	1.56	1.59	1.59	1.53	1.55	1.61	1.54	1.59	1.57	1.56	1.52	1.63	1.58	1.55	1.51	1.60	1.59	1.62	1.50	1.56	1.51	1.64	1.53	1.55	1.55	1.52	1.48	1.56	1.56	0.16	0.00
leat - NIR	Moist	%	9.00	9.02	8.90	8.98	9.10	8.88	9.00	8.88	8.98	8.91	8.98	8.91	8.97	8.84	8.90	8.94	9.00	9.04	8.92	8.95	8.90	8.82	8.87	8.96	8.86	8.85	8.92	8.93	8.95	8.92	8.94	0.52	0.02
Ground Wheat - NIR	Protein	12%mb	13.20	14.67	14.30	14.13	13.99	14.93	15.06	14.09	14.23	15.26	14.89	14.51	14.69	14.44	14.14	14.32	14.14	15.29	14.85	15.34	14.69	14.74	15.04	15.00	14.15	14.60	14.08	13.65	14.30	14.09	14.49	1.45	0.07
Kernel	Moist	%	9.82	9.79	9.90	9.84	9.77	9.75	10.32	10.50	10.31	9.72	9.90	9.81	10.07	9.49	9.91	10.07	10.03	10.00	10.12	10.33	10.10	10.31	10.20	86'6	9.61	9.60	9.75	9.95	9.88	10.11	96'6	1.57	0.08
Whole Kernel	Protein	12%mb	13.06	15.03	14.46	14.30	14.21	15.20	15.53	14.37	14.14	15.56	15.19	14.85	14.89	14.70	14.20	14.61	14.40	15.82	15.09	15.54	15.19	14.75	15.09	15,45	14.30	14.79	14.28	13.59	14.66	14.17	14.71	1.71	60.0
Size	sm	(%)	10.83	2.33	3,91	4.41	3.75	4.16	4.16	3.25	3.25	7.27	6.41	99'9	5.08	6.16	3.41	6.58	4.16	4.00	4.08	3.66	3.41	3.50	4.75	2.83	4.58	3,33	4.16	5.41	3.08	3.66	4.54	5.14	0.27
Kernel Size	<u>D</u>	(%)	41.50	67.08	61.83	59.16	61.25	54.33	57.08	74.58	68.41	45.45	55.83	45.58	51,91	51.50	67.25	48.08	67.25	58.08	68.66	63.66	65.16	69.50	60.08	68.33	59.41	71.75	62.66	58.58	62.25	68.08	60.47	23.66	1.24
1000	kwt	(6)	27.97	32,55	35.00	30.25	32.24	30.38	32,50	37.73	34.80	27.11	31.66	29.83	30.80	29.15	34.21	29.95	31.73	31.94	32.42	31.99	31.55	32.50	30,75	32,38	32.03	36.40	33.29	31.83	32.71	31.91	31.98	4.30	0.23
: 1	≥	nq/q	61.58	62.57	61.06	60.67	61.56	61.63	61.00	56.88	61.75	59.97	61.70	61.44	60.52	59.91	59.86	60.61	60.00	61.44	61.81	63.95	62.52	61.80	62.80	61.48	61.20	61.43	61.11	61.24	60.94	80.09	61.16	2.05	0.11
		Cultivar	01M88	01M96	2375	960404-03	96S0356-15	98S0113-20	BW314A	BZ998-447W	CA-901-735	Chris	Keene	MN99436-6	MT9929	Marquis	N98-0286	N99-0107	N99-0241	N99-2234	ND741	ND747	ND751	ND800	ND801	NDSW0246	SD3540	SD3546	SD3618	SD3635	SD3641	Verde	Mean	Std Dev	Std Err

Table 6. Flour quality characteristics of Granger (SD3546) Hard Red Spring Wheat compared with other entries included in the 2003 Uniform Regional Hard Red Spring Wheat Nursery grown at 12 locations within Minnesota, North Dakota, and South Dakota.

	Loaf	Vol	(33)	193.00	211.75	200.08	197.67	207.00	208.75	216.33	206,17	188,92	211.18	214.42	224.67	218.83	206.33	205.67	208,67	206,67	234.45	214.08	206.75	206.08	214.42	203.67	231.92	206.08	209.92	200,67	199.50	195.75	200.08	208.32	21.72	1.15
	Bake	Abs	% 2	55.48	55.76	57.97	56.43	56.83	58.10	58.61	56.88	57.96	57.76	58.98	58.18	56.52	56.91	57.62	57.59	57.83	58.89	58.46	59.41	57.50	58.91	59.06	58.48	57.72	60.00	57.74	57.20	56.98	57.17	57.70	2.50	0.13
Bake	Μi×	Time	(min)	2.07	3.54	3.23	3.60	3.40	3.08	3.00	3.44	3.71	3.07	3.19	3.33	3.08	3.04	3.33	3.23	3.38	3.18	3.46	3.48	3.65	3.29	3.29	3.25	3.58	3.21	3.15	3.46	3.88	3.31	3,35	0.37	0.02
;	Mixo	Peak	(min)	07.57	8.90 D. 0	4.25	8.46	5.75	4.63	4.25	7.04	90'6	4.36	4.17	5.67	4.83	4.35	5.88	5.27	7.25	7.48	5.21	6.75	8.38	4.90	4.35	5.29	7.21	4.54	4.17	5.96	10.08	4.83	6.21	3.16	0.17
		Mixo	Pat	יים ר זיים ר	د/.2 دو د	2.83	3.25	3.00	3.08	3.33	3.17	3,75	2.64	3.42	3.25	3.08	2.50	3.50	3.25	3.83	3.17	3.42	4.08	3.58	3,75	3.42	3.42	2.92	3.42	2.33	2.67	2.67	2.83	3.13	1.03	0.05
Ĭ	Flour	Ash .	14%mb	7 6	0.04	0.38	0.38	0.43	0.38	0.38	0.39	0.37	0.38	0.36	0.36	0.35	0.40	0.38	0.36	0.36	0.39	0.37	0.37	0.34	0.37	0.38	0.36	0.36	0.38	0.38	0.37	0.33	0.37	0.37	0.04	0.00
	Flour	Protein	14 %mD	12:11	13.04	13.01	15.27	13,41	13.98	14.17	12.74	12.78	14.46	13.68	13.47	13.90	13.40	13.11	13.30	13.38	14.46	13.85	14.63	13.92	13.60	13.60	14.33	12.66	13.38	12.55	12.20	13.39	12.82	13.43	1.53	80'0
i T	riour	Moist 9	13.90	13.06	13.90	10.04	13.00	13./8	13.74	14.01	14.08	14.09	13.83	13.85	13.82	13.93	13.74	13.58	13.96	14.00	13.91	13.83	13.93	13.84	13.87	13.87	13.79	13.76	13.81	13.67	13.96	14.07	14.03	13.88	1.09	90.0
<u>:</u>		EXTRACTION 9/	50.53	56 38	57.75	27.72	0.70	53.08	54.02	55.98	52.02	55.56	57.29	56.09	52.59	53,85	57.28	55.45	54.65	57.10	56.26	58.30	55.69	54.15	56.81	57.29	55.34	55.09	58.18	56.62	58.47	56.49	60.58	55.89	4.74	0.25
4		revision.	01M88	01M96	2375.00	960404-03	CO 101000	50-000006 00000000	9850113-20	BW314A	BZ998-447W	CA-901-735	Chris	Keene	MN99436-6	MT9929	Marquis	N98-0286	N99-0107	N99-0241	N99-2234	ND741	ND747	ND751	ND800	ND801	NDSW0246	SD3540	SD3546	SD3618	SD3635	SD3641	Verde	Mean	Std Dev	Std Err

REPRODUCE LOCALLY. Include form number and edition date on all	reproductions. Fo	ORM APPROVED - OMB No. 0581-0055									
U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE EXHIBIT E STATEMENT OF THE BASIS OF OWNERSHIP Application is required in order to determine if a plant variety properties to be issued (7 U.S.C. 2421). The information is be confidential until the certificate is issued (7 U.S.C. 2426).											
1. NAME OF APPLICANT(S)	2. TEMPORARY DESIGNATION	3. VARIETY NAME									
SOUTH DAKOTA STATE UNIVERSITY	OR EXPERIMENTAL NUMBER										
AG EXPERIMENT STATION	SD3546	GRANGER									
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country)	5. TELEPHONE (Include area code)	6. FAX (Include area code)									
SDSU AG HALL 129	605-688-4149	605-688-6065									
BROOKINGS, SD 57007	7. PVPO NUMBER 201	0500005									
8. Does the applicant own all rights to the variety? Mark an "X" in the	·										
9. Is the applicant (individual or company) a U.S. national or a U.S. b	ased company? If no, give name of co	ountry. X YES NO									
10. Is the applicant the original owner?	NO If no, please answer <u>one</u> o	of the following:									
a. If the original rights to variety were owned by individual(s), is (a YES	are) the original owner(s) a U.S. Nationa NO If no, give name of counti										
b. If the original rights to variety were owned by a company(ies),	is (are) the original owner(s) a U.S. bas	· · · · · · · · · · · · · · · · · · ·									
11. Additional explanation on ownership (Trace ownership from origin	nal breeder to current owner. Use the re	verse for extra space if needed):									
PLEASE NOTE:											
Plant variety protection can only be afforded to the owners (not license	ees) who meet the following criteria:										
 If the rights to the variety are owned by the original breeder, that penational of a country which affords similar protection to nationals of 	erson must be a U.S. national, national c the U.S. for the same genus and specie	of a UPOV member country, or es.									
If the rights to the variety are owned by the company which employ nationals of a UPOV member country, or owned by nationals of a c genus and species.	red the original breeder(s), the company country which affords similar protection to	must be U.S. based, owned by a nationals of the U.S. for the same									
3. If the applicant is an owner who is not the original owner, both the o	original owner and the applicant must me	eet one of the above criteria.									
The original breeder/owner may be the individual or company who direct for definitions.	ected the final breeding. See Section 4	1(a)(2) of the Plant Variety Protection									
According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, a control number. The valid OMB control number for this information collection is 0581-0055, including the time for reviewing the instructions, searching existing data sources, gathering as	The time required to complete this information collect nd maintaining the data needed, and completing and	ion is estimated to average 0.1 hour per response, reviewing the collection of information.									
The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and ac marital or family status, political beliefs, parental status, or protected genetic information. (No communication of program information (Braille, large print, audiotape, etc.) should contact US	ot all prohibited bases apply to all programs.). Person.	s with disabilities who require alternative means for									
To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-M 720-5964 (voice and TDD). USDA is an equal opportunity provide and employer.	V, Whitten Building, 14th and Independence Avenue,	SW, Washington, D.C. 20250-9410 or call (202)									